

 Telelogos



 **Control Your Devices**

Quick Start Guide

Version 6.1.0



5
SOLUTIONS



50+
PAYS



2000+
CLIENTS



500 000+
LICENCES



Angers (HQ)
FRANCE



Mexico City
MEXICO




Charlotte
USA

- 1 – Foreword**
- 2 – Connecting to the server**
- 3 – Selecting Android Enterprise mode**
- 4 – Creating the installation package**
- 5 – Deploying the installation package**
- 6 – Installing the CLYDMediaContact client**
- 7 – Adding to the catalog**
- 8 – Creating a kiosk**
- 9 – Deploying a kiosk**
- 10 – Creating an EMM profile**
- 11 – Deploying an EMM profile**
- 12 – Support team**


1 – Preambles

In order to help you to get started with the CLYD solution, this tutorial will explain a series of simple actions allowing you to register a device and deploy a kiosk.

You can then discover CLYD's advanced functions by browsing the online documentation, accessible via the  button at the top right of the web console.

If you have any questions, or if you encounter any difficulties, please feel free to contact the Telelogos support team, who will be happy to provide you with answers and guidance.

- Tel: +33 (0)2 41 22 70 18
- support@telelogos.com




2 – Connecting to the server

- **Before you start, please make sure you have:**
 - The CLYD server's web address or URL.
 - The company identifier for the organization that has been created on the CLYD server, which is usually your company's name.
 - The username and password for the associated user account.

- **From your computer: open your web browser.**
 - We highly recommend that you use Chrome, since the solution is based on Google technologies and APIs.

- **Access the CLYD console** by entering the web address you received by e-mail or provided by your administrator.

- **Complete the fields** according to the connection information that was provided to you.




3 –Selecting Android Enterprise mode

- CLYD console: [COMPANY > ANDROID ENTERPRISE](#)

Note: to ensure the registration process on the Google website is as straightforward as possible, log out of any Google accounts (Gmail / YouTube...) before starting.

- Select the desired registration mode.
 - *["Dedicated Device"](#) mode is highly recommended to allow you to test all of the solution's features .*
- Follow the registration steps that the Google interface asks you to complete.




4 – Creating the installation package (1)

- CLYD Console: [CONFIGURATION](#) > [INSTALLATION PACKAGE](#) >  [SELECT THE MODE](#)

The installation procedure will differ between devices according to the deployment mode that has been chosen, and will be explained in the next section.

- The "[Android Enterprise QR-Code](#)" mode is recommended for testing purposes.



4 – Creating the installation package (2)




Name .apk Generate package Cancel X

INFORMATION SYSTEM CONTACT INFORMATION PERMISSIONS MANUFACTURER ADD-ONS IN-HOUSE APPLICATIONS FILES

1 Select the device identifier
By default the IMEI number is used. The other information is pre-filled.



2 Select the MANUFACTURER ADD-ON corresponding to the brand/model of the device.
It allows access to advanced system functions (restart, system commands).

3 Click on "Generate" to create and display the installation package.



5 – Deploying the installation package



- **On a device that is new or has been factory reset:**
 - Select the required language, then tap 6 times in the white area of the welcome screen.
 - Connect the device to a wifi network.
 - Scan the QR-code. Depending the device's camera, you may need to apply a zoom to your web browser in order for the code to be read correctly.




At any time, the QR-code can be displayed again from the list of installation packages by clicking on the "View" button..

6 – Installing the CLYDMediaContact client

- On the device:** During the installation, the application will request a certain number of Android permissions. You will need to activate each one, before tapping the " back " button to resume the installation. Once the client has been installed, you will find your device in the devices menu of the CLYD console.
- CLYD console:** *DEVICES*

<input type="checkbox"/>	Status	EMM ID	Identifier	Name	Brand	Operating system	Last connection
<input type="checkbox"/>			S23CC0811	S23CC0811	Datalogic	Android 11	6/6/2023 5:13:25 PM

- Click on the device to view the details**



Identifier : S23CC0811

Name : S23CC0811
Company : 01_DEMO_SV_CLYD_EMM_DD

IMEI number : 352460810009563
Telephone number :
Serial number : S23CC0811
Unlock : bd2084cd39

Brand : Datalogic
Model : Memor 11

My device

General
Enrolled on 5/3/2023 2:43:08 PM
35d 3h 7min

Application inventory
Data from 6/6/2023 8:55:02 AM
1d 8h 56min





Google ID :
Allows PUSH mode connections



Android Enterprise ID :
The green icon indicates the device is correctly registered in Android Enterprise mode.


7 – Adding to the catalog

- **CLYD console:** *CATALOG*
- Add Play Store or In-House applications (.apk files).
- Add files (.pdf, etc.).



8 – Creating a kiosk (Dedicated Device)

- **CLYD console:** *KIOSKS*
- **Click** on "New " 
- **Configure** your kiosk (drag and drop catalog items)



The screenshot shows the CLYD console interface for configuring a kiosk. At the top, there is a "Name" field with a red error message and a blue callout box that says "Name the kiosk". To the right of the name field are buttons for "Save draft v1", "Deploy v1", and "Cancel". Below the name field is a navigation bar with tabs for "DESIGN", "SECURITY", "TARGETS", "DEPLOYMENT SCHEDULE", and "STATISTICS".

The main area is divided into three sections:

- Catalog:** A list of items to be added to the kiosk, including "In-House applications", "Enterprise Store", "Files", "Widgets", "Link to a website", "Command", "Add a group", and "Device inventory". Each item has a plus sign icon to add it.
- Preview:** A central area showing a preview of the kiosk screen. It has a blue background and a "Page 1" label. A "Google Maps" widget is visible on the screen, and a dashed box indicates where another widget can be placed.
- Settings:** A panel on the right side with various configuration options:
 - Settings:** Includes icons for saving, deleting, and refreshing.
 - Password:** A field with a red error message "The password is required." and a blue callout box that says "Set a password".
 - Priority:** A field with a value of "5" and a note "1: highest priority, 9: lowest priority".


9 – Deploying a kiosk (Dedicated Device mode)

- **CLYD console:** *KIOSKS > SELECT THE KIOSK TO DEPLOY > " TARGETS " TAB*





- **Click on:** 

- **Select your company target.** This default target includes all of the devices registered in your organization.


- **Click on**  button, the kiosk is deployed on the devices after few seconds


- **To exit the kiosk**, tap three times on the device's screen and enter the administrator password, or exit the kiosk from the web console by using the " Kiosks > Stop the kiosk " option available in the device details menu

- **To relaunch the kiosk**, launch the " MediaContact " application  and click on the "Home" icon  or relaunch the kiosk from the web console by using the " Kiosks > Start the kiosk " option available in the device details menu



10 – Creating an EMM profile (Fully Managed mode only)

- **CLYD console:** *EMM PROFILES*
- **Click** on " New " 
- **Configure** your EMM profile (select the catalog items)
- **Define** the Google Play Store access mode





11 – Deploying an EMM profile (Fully Managed mode only)

- **CLYD console:** *EMM PROFILES > SELECT THE PROFILE TO DEPLOY > " TARGETS " TAB*

A rectangular button with a blue border and a blue background. It contains a white target icon on the left and the word "TARGETS" in white capital letters on the right.

- **Click on:** 



- **Select your company target.** This default target includes all of the devices registered in your organization.
- **Click** on the  button, the kiosk is deployed on the devices after few seconds.



A multilingual team, based in France, is at your disposal to assist you in the installation, implementation, configuration and operation of the CLYD solution.

Opening of tickets (automatic creation): support@telelogos.com

Tel : +33 (0)2 41 22 70 18

Downloads

Client application : <https://www.telelogos.com> - "Downloads" section

Server application (Client Portal) : <https://customer.telelogos.com/>

Server application and documents (Partner Portal) : <https://partner.telelogos.com/>

